















Learn. Make. Love.

SIY Project



Sew It Yourself

The following project was created with fabric that your local retailer may no longer have available. You can recreate these projects by replacing the fabrics shown using the fabric key as a guide for similar colorations or styles.

presented in good faith, however no warranty can be given not results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may



| Technique: | Piecing & Sewing |
|----------------|--------------------|
| Brand: | FreeSpirit Fabrics |
| Crafting time: | Afternoon/Evening |

Finished Size of Project:

9 ½" x 2 ½" x 11 ½" (24cm x 6.5cm x 29cm)

Fabric Requirements:

| (A) Measurements - PWTH010.TAUPE | 1/8 yard (0.12m) |
|---|------------------|
| (B) Documentations - PWTH002.TAUPE | 1/8 yard (0.12m) |
| (C) Subway Signs - PWTH005.NEUTR | 1/8 yard (0.12m) |
| (D) Ticking - PWTH006.REDXX | 1/8 yard (0.12m) |
| (E) Game Pieces - PWTH012.NEUTR | 1/8 yard (0.12m) |
| (F) Stamps - PWTH007.BLUEX | 1/8 yard (0.12m) |
| (G) Melange - PWTH001-NEUTR | 1/4 yard (0.23m) |
| (H) Designer Essential Solids - CSFSESS.PEARL | ½ yard (0.46m) |

Additional Requirements:

Sewing machine
Thread to match fabric
Fusible fleece, 44" (111.8 cm) wide
Prym snap hooks, (2) 25mm, Art. 417902
(2) **D**-rings, 20 mm, Art. 2196301
Rotary cutter/mat/plastic ruler
Dritz Fray Check sealant (optional)
Iron/pressing board
Basic sewing supplies

freespiritfabrics.com

Strippy Fold-over Bag

Cutting:

Notes: WOF - Width of Fabric, LOF - Length of fabric

Fabrics A-F, cut:

(1) 2 ½" x WOF (6.35cm x WOF) strip for Bag Exterior

Fabric G, cut:

(2) 2 ½" x WOF (6.35cm x WOF) strips for Strap

Fabric H, cut:

(1) 12 ½" x WOF (31.5cm x WOF), for lining (1) 2 ½" x 3" (6cm x 8 cm) for **D**-ring Loops

Fusible Fleece, cut:

(1) 12 ½" x WOF (31.5cm x WOF), for lining (1) 2" x 44" (5cm x 111.8cm), for strap

Sewing instructions:

Note: All seam allowances are 1/4" (0.64cm).

1. To make the bag exterior, stitch (1) 2 ½" x WOF (6.35cm x WOF) strip from each fabrics **A-F** side by side in any order desired. Press all seams in one direction. Following manufacturer's instructions, fuse the fleece to the wrong side of the bag exterior and stitch all seams in the ditch (i.e., close to the seam).

OPTIONAL: If desired, cut a strip from Fabric G. Use sealant on the ends to prevent them from fraying. Attach the label about 2" (5cm) away from one corner of the bag exterior, as shown in the photos, using either a straight or zigzag stitch on the sewing machine.

- 3. To make the **D**-ring loops, fold the Fabric **H** $2 \frac{1}{2}$ " x 3" (6cm x 8cm) strip in half lengthways right sides together and stitch. Turn right side out and press, with the seam in the middle of the strip. Sub-cut (2) $1 \frac{1}{2}$ " (4cm) long strips. Fold each piece in half around a **D**-ring and baste.
- 4. Pin one loop in place on each side of the bag exterior, about 7 $\frac{1}{2}$ " (19cm) down from one narrow side. Fold the bag exterior in half and stitch each long side together, catching the loops in the process. For the bag corners, fold the bag so that the side seam lies directly over the bottom fold, forming a triangle. Mark a line 2 $\frac{1}{2}$ " (6.5cm) wide and stitch directly on this line. Trim the excess fabric, leaving a seam allowance of $\frac{1}{4}$ " (0.64cm). Repeat with the other corner. Neaten and turn bag right side out.

- 5. Sew the lining in the same way, without the **D**-rings, and leaving approximately 4" (10cm) open on one side for turning.
- 6. Insert the bag exterior into the lining, right sides facing and aligning the seams. Sew all the way around the top. Turn the bag right sides out and stitch the opening closed, either by hand or machine. Press the top edge. Edge stitch and topstitch all the way around.
- 7. To make the strap, fuse the $2" \times 44"$ (5cm x 111.8cm) fleece strip onto one of the Fabric G strips. Place the two strap pieces right sides together and stitch down both long sides. Turn right side out and press. Topstitch three rows of stitching, once down the center and once down each side halfway between the center and the edge. Thread each end through the bar of a snap hook, turning the raw edge under, and stitch in place.
- 8. Attach the snap hooks to the **D**-rings. Fold down the top of the bag, making sure that the label, if attached, faces outward.

Copyright © 2022 freespiritfabrics.com

Strippy Fold-over Bag

Fabric Requirements:

- (A) Measurements PWTH010.TAUPE
- (B) Documentations PWTH002.TAUPE
- (C) Subway Signs PWTH005.NEUTR
- (**D**) Ticking PWTH006.REDXX
- (E) Game Pieces PWTH012.NEUTR
- (**F**) Stamps PWTH007.BLUEX
- (**G**) Melange PWTH001-NEUTR
- (H) Designer Essential Solids CSFSESS.PEARL



Copyright © 2022